

Contents

Contents of Number 1

Original Communications

Crystal Structure of SbCl₄F (In German)

R. MINKWITZ, D. KONIKOWSKI, H. PREUT 1

LiBa₄[Mo₂N₇] and LiBa₄[W₂N₇]: New Nitrido-molybdates/tungstates(VI) with Dimeric Tetrahedral Anions (In German)

P. HÖHN, R. KNIEP, J. MAIER 5

Metal Tetrahydroborates and Tetrahydroborato-metalates, 18. Studies on the Formation of Cadmium(II)-tetrahydroborates with Tetrahydroborate and Iodide

H. NÖTH, M. THOMANN 9

The Isoelectronic Molecular Complexes

TiCl₃(NPPh₃) and TiCl₃(OSiPh₃) (In German)

T. RÜBENSTAHL, D. WOLFF VON GUDENBERG, F. WELLER, K. DEHNICKE, H. GOESMANN 15

Complexes of Copper, Silver, and Gold with Urea Homologues. Crystal Structures of [$\{\mu^2\text{-SeC}(\text{NH}_2)_2\}\text{Ag}\{\text{SeC}(\text{NH}_2)_2\}_2\right]^{2+} \cdot 2\text{Cl}^- \cdot 4\text{DMF}$ and $[\text{Ph}_3\text{PAu}\{\text{SC}(\text{NHMe})_2\}]^+\text{Cl}^- \cdot \text{SC}(\text{NHMe})_2$

W. EIKENS, P. G. JONES, J. LAUTNER, C. THÖNE 21

Gold-Alkali Metal-Systems, III. High Pressure Synthesis and Crystal Structure of Rb₃Au₇ (In German)

K.-J. RANGE, G. H. GROSCH, F. RAU, U. KLEMENT 27

Reactions of Bis(hexamethyldisilazanyl)-manganese(II) with Nitrogen Containing Ligands: Syntheses and X-Ray Structures of [Mn(1,10-phen){N(SiMe₃)₂}₂] and [Mn(4,4'-bipy){N(SiMe₃)₂}₂]·THF

M. ANDRUH, H. W. ROESKY, M. NOLTEMEYER, H.-G. SCHMIDT 31

Polysulfonylamines, LIV. (12-Crown-4)lithium Dimesylamide-Acetonitrile (3/2): A Crystal with Two Fundamentally Different Conformations of the Same Coronand (In German)

A. BLASCHETTE, K.-H. NAGEL, P. G. JONES 36

New Cyclophosphazenes with Metals of Main Group III as Building Blocks (In German)

R. HASSELBRING, H. W. ROESKY, A. HEINE, D. STALKE, G. M. SHELDRICK 43

Synthesis, Properties and Electronic Raman Spectra of Di(bromo)phthalocyaninatometalates(III) of the Iron Group Elements (In German)

S. SIEVERTSEN, H. SCHLEHAHN, H. HOMBORG 50

Cs₂SnTe₄, a Polytelluridostannate(IV) with Chain Structure $\text{[SnTe}_4^{2-}]$ (In German)

W. S. SHELDRICK, B. SCHAAF 57

Crystal Structure of Gadolinium(III)-sulfite Trihydrate Gd₂(SO₃)₃·3H₂O (In German)

H.-U. HUMMEL, P. JOERG, G. PEZZEI, A. WOLSKI 60

Cycloadditions, XXI. Aryl 2-methyl-2,3-butadienoates; Synthesis and Thermal Reactivity (In German)

G. HIMBERT, D. FINK, M. STÜRM 63

Transition Metal Complexes with Sulfur Ligands, C. Unexpectedly Facile Formation of Diazene Complexes and a New Type of Diastereomerism: $[\mu\text{-N}_2\text{H}_2\{\text{Fe}(\text{PPr}_3)(\text{S}_4)\}_2]$ and Analogous Complexes with [FeS]-Centers. ($\text{S}_4^{2-} = 1,2\text{-Bis}(2\text{-mercaptophenylthio})\text{ethane}(2-)$) (In German)

D. SELLMANN, H. FRIEDRICH, F. KNOCH, M. MOLL 76

On Metal Alkyl and Aryl Compounds, Part 51. Unsymmetrical Diorganomagnesium Compounds. MgRR'(L) and Solvens Separated Ion Pairs with R = Me, Et, R' = Cyclopentadienyl, Indenyl, Fluorenyl, Phenylethyanyl, L = Tetra-



Dieses Werk wurde im Jahr 2013 vom Verlag Zeitschrift für Naturforschung in Zusammenarbeit mit der Max-Planck-Gesellschaft zur Förderung der Wissenschaften e.V. digitalisiert und unter folgender Lizenz veröffentlicht:
Creative Commons Namensnennung-Keine Bearbeitung 3.0 Deutschland Lizenz.

Zum 01.01.2015 ist eine Anpassung der Lizenzbedingungen (Entfall der Creative Commons Lizenzbedingung „Keine Bearbeitung“) beabsichtigt, um eine Nachnutzung auch im Rahmen zukünftiger wissenschaftlicher Nutzungsformen zu ermöglichen.

This work has been digitized and published in 2013 by Verlag Zeitschrift für Naturforschung in cooperation with the Max Planck Society for the Advancement of Science under a Creative Commons Attribution-NoDerivs 3.0 Germany License.

On 01.01.2015 it is planned to change the License Conditions (the removal of the Creative Commons License condition "no derivative works"). This is to allow reuse in the area of future scientific usage.

		Contents of Number 2
		<i>Original Communications</i>
methyleneethylenediamine, Pentamethyldiethylene-triamine (In German)		Chemistry of the 1,3,5-Triaza-2-phosphinane-4,6-diones. Part VI. Synthesis of 1,3,5-Triaza-2 λ^3 -, 1,3,5-Triaza-2 λ^4 - and 1,3,5-Triaza-2 λ^5 -phosphinane-4,6-diones (In German)
H. VIEBROCK, D. ABELN, E. WEISS	89	M. FARKENS, T. G. MEYER, I. NEDA, R. SONNENBURG, C. MÜLLER, A. K. FISCHER, P. G. JONES, R. SCHMUTZLER
1,3-Dimethyl-1,3-diaza-2-R-5,6-benzo-2 λ^3 -phosphorinan-4-ones (R = F, Me ₂ N, 2-Methyl-piperidino, MeC(:O)NH-) as Ligands in Transition-Metal Complexes; Synthesis and Structure of Dichloro-Platinum(II)- and Tetracarbonyl-Metal(0) Coordination Compounds (Metal = Cr, Mo and W) (In German)		145
H.-J. PLINTA, I. NEDA, R. SCHMUTZLER	100	
Preparation and Properties of Rhodium(III) Complexes with the Tetradeятate Ligand N,N'-Bis(2'-pyridinecarboxamide)-1,8-naphthalene		Chemistry of the 1,3,5-Triaza-2-phosphorinan-4,6-diones. Part VII. Synthesis of 2-Methoxy- and 2-Trimethylsiloxy-1,3,5-trimethyl-1,3,5-triaza-2 λ^3 -phosphorinan-4,6-dione and 2-Chloro-1,3,5-trimethyl-1,3,5-triaza-2-oxo-2 λ^4 -phosphorinan-4,6-dione (In German)
E. MANESSI-ZOUPA, T. F. ZAFIROPOULOS, S. P. PERLEPES	111	I. NEDA, M. FARKENS, R. SCHMUTZLER
Ligand-Deficient Complexes of Cadmium. Synthesis and Spectroscopic Characterization of Molecular Pentafluorophenyl Cadmium Thiolates and the Structure of the Cubane Complex [{Cd(C ₆ F ₅)(SBu') ₄ }] (In German)		165
A.-K. DUHME, H. STRASDEIT	119	
On the Chemistry of Resiniferonol, II. Preparation and Bioactivities of 15,16-Dihydrosimplexin and Methods for its Tritium Labeling		Reactions of 2-Chloro- and 2-Organoamino-Substituted 5,6-Benzo-1,3-dimethyl-1,3,2-diaza-phosphorinan-4-ones with Azides (In German)
T. SCHÄFER, B. SORG, C. KARALAI, E. HECKER	128	I. NEDA, T. KAUKORAT, R. SCHMUTZLER
Constituents of Euphorbiaceae, 13. Comm. Isolation and Structure Elucidation of Five Cerebro-sides from <i>Euphorbia characias</i> L.		171
G. FALSONE, F. CATENI, M. BAUMGARTNER, V. LUCCHINI, H. WAGNER, O. SELIGMANN	135	Substituted Hydrazines as Ligands in Vanadium(III), -(IV) and -(V) Complexes. Synthesis and Characterization of [V(dipic)(NH ₂ NHCOPh)(H ₂ O) ₂][VO(dipic)-(NHCOPh)]·2H ₂ O, [VO(dipic)(NHNHCO ₂ Me)], [VO(dipic)(NH ₂ NHCO ₂ Me)], [VO(dipic)(NHNHCSPh)] and [VO('ONO')(NHNHCOPh)]·2H ₂ O (In German)
<i>Notes</i>		A. SUNDHEIM, C. THEERS, R. MATTES
3,5-Di- <i>tert</i> -butylstyrenes: Synthesis of Bulky Polymer Building Blocks (In German)		176
N. RISCH, B. MEYER-ROSCHER, M. LANGHALS	141	8-(Phenylamino)-1-naphthalene-silversulfonate (8,1 ANS-Ag) (In German)
		S. H. HÜTTENHAIN, W. BALZER
		186
The New Laves Phase Na ₂ Ba		
		G. J. SNYDER, A. SIMON
A Structural Study on Indium Tris-thiocarbonates		189
		S. BHATTACHARYA, N. SETH, V. D. GUPTA, H. NÖTH, M. THOMANN
Lithium Zincates with Heteroleptic Triorganylzincate Anion (In German)		193

M. WESTERHAUSEN, B. RADEMACHER, W. SCHWARZ, S. HENKEL	199	Zinc Complexes of Dimethyl(phthalimidomethyl)-phosphine Oxide S. VARBANOV, E. RUSSEVA, A. GANCHEV 258
Crystal Structure of the "Supramolecular" Silver(I)thiocyanate Cyclam Complex [Ag(SCN)·(C ₁₀ H ₂₄ N ₄) _{1/2}] (In German) J. PICKARDT, J. SHEN	211	Copper(II) Complexes of Hydrazone Derivatives P. SOUZA, M. A. MENDIOLA, A. ARQUERO, V. FERNÁNDEZ, E. GUTIÉRREZ-PUEBLA, C. RUIZ-VALERO 263
A New Polyborate: The Heptaborate Ion in a Silver Icosadiborate (In German) U. TIMPER, G. HELLER	215	New Diels-Alder Reactions of (-)-Thebaine and First X-Ray Crystallographic Structure Analyses of the Cycloadducts U. PINDUR, D. KEILHOFER, D. SCHOLLMAYER 272
Preparation and Spectroscopic Characterization of the Trihalogenophosphonium Salts PHal ₃ X ⁺ MF ₆ ⁻ (Hal = Cl, Br; X = H, D; M = As, Sb) (In German) R. MINKWITZ, B. BÄCK	221	On the Photodegradation of 1-(4-Chlorophenyl)-4,4-dimethyl-3-(1H-1,2,4-triazol-1-ylmethyl)-pentan-3-ol (Folicur®) (In German) H. WAMHOFF, H. KOCH, R. FÖRSTER, C. HERRMANN, S. M. S. ATTA, M. R. MAHRAN, M. M. SIDKY 280
Metal Complexes with Biological Important Ligands, LXIX. Half-Sandwich Complexes of Cobalt(III), Rhodium(III), Iridium(III) and Ruthenium(II) with Anions of α -Hydroxyimino Acids (In German) R. LAMPEKA, R. BERGS, R. KRÄMER, K. POLBORN, W. BECK	225	Structures of Sterically Overcrowded Molecules 39. Single Crystal and Gas Phase Structures of 1,4-Bis(trimethylsiloxy)benzene (In German) H. BOCK, J. MEURET, J. W. BATS, Z. HAVLAS 288
Perfluorobenzyl Nitrogen Derivatives (In German) G. KNITTER, U. BEHRENS, E. LORK, R. MEWS	233	Contents of Number 3
Thiazyltrifluoride Complexes of Mg and Zn (In German) U. BEHRENS, R. HOPPENHEIT, W. ISENBERG, E. LORK, J. PETERSEN, R. MEWS	238	<i>Original Communications</i>
Lower Hydrates of Amines. Crystal Structures of the Hemihydrates of Ethyl- and Diethylamine and the Hemi- and Monohydrate of 1-Butylamine (In German) D. MOOTZ, M. BORN	243	Crystal Structure of <i>trans</i> -Bis(acetonitrile)-dichloroplatinum(II) J. KRITZENBERGER, H. YERSIN, K.-J. RANGE, M. ZABEL 297
Synthesis and Structure of 1,2-Bis(organotin-boryl)ethene Derivatives (In German) P. FRANKHAUSER, H. PRITZKOW, W. SIEBERT	250	Phosphoraneiminato Clusters of Copper. Syntheses and Crystal Structures of [Cu ₆ Cl ₆ (NPMe ₃) ₄]Cl[Me ₃ SiNPMe ₃]·CH ₂ Cl ₂ and [Cu ₆ Cl ₆ (NPMe ₃) ₄][Cu(Me ₃ SiNPMe ₃) ₂]Cl ₂ (In German) R. MEYER ZU KÖCKER, A. BEHRENDT, K. DEHNICKE, D. FENSKE 301
Preparation and Structure of 2,3-Bis[2,4,6-tris(trifluoromethyl)phenyl]-1,2,3-selenadiphosphirane (In German) H. VOELKER, U. PIEPER, H. W. ROESKY, G. M. SHELDICK	255	Syntheses and Structure of 3,3-Diorganyl-2,4-dioxa-1,5-dithia-1,1,5,5-tetraoxid-3-silacyclohexanes and -heptanes (In German) P. SARTORI, R. JÜSCHKE, R. BOESE, D. BLÄSER 309

Synthesis and Complexation of 4,5-Cycloocta-2,3-dihydro-1,2,3-trimethyl-1,3-diborole (In German)		Synthesis, IR Spectrum and Crystal Structure of 1,3,5-Trichlortriazinium Hexachloroantimonate, $[HC_3N_3Cl_3]SbCl_6$ (In German)	
U. FENNER, H. PRITZKOW, W. SIEBERT	315	F. WELLER, F. SCHMOCK, K. DEHNICKE, K. FINDEISEN	360
Crystal Structure of the "Supramolecular" Mercury(II) Chloride Thiocyanate Hexamethylenetetramine Adduct $Hg(SCN)_2 \cdot 2HgCl_2 \cdot 2C_6H_{12}N_4$ (In German)		Structures and Magnetic Properties of Dinuclear Iron(III) Complexes	
J. PICKARDT, G.-T. GONG, D. RÖLEKE	321	A. ELMALI, Y. ELERMAN, I. SVOBODA, H. FUESS, K. GRIESAR, W. HAASE	365
Crystal Structure of Two Zinc Thiocyanate Hexamethylenetetramine Adducts, $Zn(SCN)_2 \cdot (C_6H_{12}N_4)_2$, and $\{Zn(SCN)_2 \cdot C_6H_{12}N_4 \cdot 2H_2O\}_n$, with Differently Coordinated Zinc Ions (In German)		The THF-9-Sodiooxy-9-borabicyclo[3.3.1]nonane Tetramer (In German)	
J. PICKARDT, G.-T. GONG, S. WISCHNACK, CH. STEINKOPFF	325	R. KÖSTER, G. SEIDEL, D. BLÄSER, R. BOESE	370
Mononuclear Ruthenium(III) Complexes of the Type $LRuX_3$ ($X = Cl^-$, NCO^- , NCS^- , N_3^- ; $L = 1,4,7$ -Trimethyl-1,4,7-triazacyclononane) (In German)		Dimeric Hydrochalcogeno-9-BBN Compounds – Formation and Crystal Structure (In German)	
R. SCHNEIDER, TH. JÜSTEL, K. WIEGHARDT, B. NÜBER	330	R. KÖSTER, G. SEIDEL, D. BLÄSER, R. BOESE	377
Poly(trifluoromethanesulfonatosilyl)methanes – Precursors to Polysilylmethanes		Hindered Ligand Movements in Transition Metal Complexes, XLIII: Photoreactions of Hexacarbonyl- μ - $\eta^{5:5}$ -fulvalene-dimolybdenum and -ditungsten with Conjugated Cyclodienes (In German)	
S. BOMMERS, H. SCHMIDBAUR	337	C. G. KREITER, W. CONRAD	383
$M_4OS_4Cl_2$ -Type Oxysulfide Chlorides of the Lanthanides ($M = La-Nd$) (In German)		Convenient Synthesis of 2,2-Diethoxy-2,5-dihydrofurans, 2(5H)-Furanones and 2-Ethoxyfurans. Crystal and Molecular Structure of a Barrelenone Diels-Alder Product (In German)	
TH. SCHLEID, F. LISSNER	340	R. W. SAALFRANK, W. HAFNER, J. MARKMANN, A. WELCH, K. PETERS, H. G. VON SCHNERING	389
Crystal Structure of Gadolinium-(III)-hydrogen sulfate $Gd(HSO_4)_3$ (In German)		New Dimeric Tetrapeptide Enkephalin Analogues. Hydrophilic Spacer Length and Configuration Affects Potency and Receptor Selectivity	
H.-U. HUMMEL, P. JOEG, G. PEZZEI, A. WOLSKI	347	J. STĘPIŃSKI, S. W. TAM	407
Synthesis and Crystal Structure of $KCuHo_2Mo_4O_{16}$ (In German)		Phase Diagrams and Excess Volumes of the Systems $(CH_3)_2SiCl_2$ /Pyridine and $(CH_3)_2CCl_2$ /Pyridine (In German)	
H. SZILLAT, H. MÜLLER-BUSCHBAUM	350	M. W. ZENKE, K. HENSEN	412
Synthesis and Crystal Structure of an Alkaline Alkaline-Earth Halide Oxide of Copper and Vanadium: $KBaCuV_2O_7Cl$ (In German)		The Direct Synthesis of Secondary Amides from Aldehydes; A Novel General Redox Procedure Mediated by Iidotrichlorosilane (ITCS)	
F.-D. MARTIN, H. MÜLLER-BUSCHBAUM	355	S. S. ELMORSY, D. S. BADAWY, M. A. NOUR, E. M. KANDEEL	417

Notes

The Crystal Structure of

 $\text{AsF}_5 \cdot \text{OSCF}_2\text{S}(\text{O}_2)\text{CF}_2$ (In German)

E. LORK, U. BEHRENS, D. VIETS, R. MEWS 422

Synthesis and Crystal Structure of

 $[\{\text{Cp}(\text{CO})_2\text{Fe}\}_2\text{Sn}(\text{F})\text{FBF}_3]$ (In German)

K. MERZWEILER, L. WEISSE, H. KRAUS 425

The X-Ray Structure Determination of the Pyrrolides $(\text{CH}_3)_2\text{Al}-\text{C}_4\text{H}_3\text{NCH}_3$ and $(\text{CH}_3)_2\text{Ga}-\text{N}(\text{CCH}_3)_4$ (In German)

H.-D. HAUSEN, J. TÖDTMANN, J. WEIDLEIN 430

Synthesis and Crystal Structure of

 $[\text{Na}(12\text{-Crown-4})_2]_2[\text{Fe}_4\text{Se}_4\text{Cl}_4]$ (In German)

A. AHLE, K. DEHNICKE, C. MAICHLE-MÖSSMER, J. STRÄHLE 434

Contents of Number 4

Original Communications

The Crystal Structure of *trans*-1,3,5-Trichloro-1,3,5-trioxo-1 λ^6 ,3 λ^6 ,5 λ^6 ,2,4,6-trithatriazine (β -Sulfanuric Chloride) (In German)

E. LORK, U. BEHRENS, G. STEINKE, R. MEWS 437

The Crystal Structure of the Tetrameric Adduct of Antimony Trichloride and Phosphoryl Isothiocyanate, $[\text{SbCl}_3 \cdot \text{OP}(\text{NCS})_3]_4$

A. V. SIENKIEWICZ, A. A. KAPSHUK 441

Chemistry of the 1,3,5-Triaza-2-phosphorinan-4,6-diones. Part VIII. Further 1,3,5-Triaza-2 λ^3 - and 1,3,5-Triaza-2 λ^4 -phosphorinane-4,6-diones with (2-Chloroethyl)amino- and Bis(2-chloroethyl)amino Substituents (In German)

M. FARKENS, I. NEDA, R. SCHMUTZLER 445

Synthesis of Ethylene Bridged Biscyclopentadiene Ligand Precursor Compounds and Some of their *ansa*-Zirconocene Derivatives *via* Chiral Epoxides: A Synthetic Strategy of High Variability

B. RIEGER, G. JANY, M. STEIMANN, R. FAWZI 451

Supermesityl-Substituted Hydrazinoboranes (In German)

M. GESCHWENTNER, G. ELTER, A. MELLER 459

New Organoboran Heterocycles: Benzo-1,4-diboracycloheptene-2, 1,4-Diboracyclopentene-2 and the Isomeric 6,6-Dimethyl-2-methylidene-1,3-diboracyclohexane (In German)

H. SCHULZ, H. SEYFFER, B. DEOBALD, H. PRITZKOW, W. SIEBERT 465

Preparation, ^{11}B , ^{13}C NMR and Vibrational Spectra of Cyanomethylhexahydro-closo-hexaborate(1-), $[\text{B}_6\text{H}_6(\text{CH}_2\text{CN})]^-$, and the Crystal Structure of $[\text{P}(\text{C}_6\text{H}_5)_4][\text{B}_6\text{H}_6(\text{CH}_2\text{CN})]$ (In German)

A. FRANKEN, W. PREETZ 471

Transition Metal Pnictide Synthesis: Self Propagating Reactions Involving Sodium Arsenide, Antimonide and Bismuthide

A. L. HECTOR, I. P. PARKIN 477

Metal Complexes of Biologically Important Ligands, LXXII. Half Sandwich Iridium(III) and Ruthenium(II) Complexes with Dianions of 2-Hydroxyiminocarboxylic Acids (In German)

R. BERGGS, R. LAMPEKA, CH. ROBL, W. BECK 483

Preparation and Crystal Structure of Bis(trimethylammonium)hexasulfide $[\text{HN}(\text{CH}_3)_3]_2\text{S}_6$ (In German)

C. MÜLLER, P. BÖTTCHER 489

Homoleptic Carbene Complexes, V. Chelating Percarbene Complexes of Palladium and Platinum (In German)

W. P. FEHLHAMMER, TH. BLISS, W. SPERBER, J. FUCHS 494

 $\text{Sr}_3[\text{Al}_2\text{N}_4]$: A Nitridoaluminate with Corrugated Tetrahedral Chains $[\text{AlN}_{4/2}^{3-}]$ (In German)

W. BLASE, G. CORDIER, M. LUDWIG, R. KNIEP 501

 μ_2 -Chloro Complexes of Succinimide and N-Chlorosuccinimide. The Crystal Structures of $\text{PPh}_4[\text{Cl}(\text{Succinimide})_2]$, $\text{PPh}_4[\text{Cl}(\text{N}-\text{Cl}-\text{Succinimide})_2]$ and N-Chlorophthalimide (In German)

M. GHASSEMZADEH, K. HARMS, K. DEHNICKE, J. MAGULL 506

Metal Complexes of Functionalized Sulfur Containing Ligands, VIII. 4-Phenyl-1,2-dithiolane-1-oxide, a Stable, Five-Membered Cyclic Thiosulfinate (In German)	Notes
W. WEIGAND, G. BOSL, B. VON DIELINGEN, K. GOLLNICK	The Crystal Structure of Tetraphenylarsonium-chloride Dihydrate (In German) 513
Homoleptic 1,4-Diazadiene Compounds of Early Transition Metals. Syntheses, Properties and Structures of (DAD) ₂ Ti and (DAD) ₃ Ti (In German)	M. ANDRATSCHKE, A. DASSLER, U. KLEMENT, K.-J. RANGE 576
R. GODDARD, C. KRÜGER, G. A. HADI, K.-H. THIELE, J. SCHOLZ	Erratum 579
Electron Transfer and Ion Pair Formation, 33. The Single Electron Reduction of Tetraphenyl-p-benzoquinone by Alkali Metals: ENDOR Spectra of Contact Ion Pairs as well as Triple Ions in Solution and Single Crystal Structures of Both the Neutral Compound and its Sodium Salt (In German)	Contents of Number 5
H. BOCK, A. JOHN, M. KLEINE, CH. NÄTHER, J. W. BATS	Original Communications 529
Cycloadditions, XXII. Synthesis and Thermal Reaction of S-(Alkyl/Aryl)-2,3-butadiene-thioates (In German)	On the Crystal Chemistry of Oxoplatinates. A New Phase of the Composition $Sr_{4-x}Na_xPtO_6$ ($x = 0.33$) (In German) 542
G. HIMBERT, D. FINK	G. TAMS, HK. MÜLLER-BUSCHBAUM 581
Complexing Ability of Some 2-Spirothiazolid-4-one Derivatives	A Contribution to the Crystal Chemistry of Alcaline Alkaline Earth Precious Metal Perovskites Synthesis and Crystal Structure of $NaBa_4Cu_{0.5}Pt_{1.5}O_8$ (In German) 551
M. A. EL-GAHAMI, M. F. EL-ZOHRY	G. TAMS, HK. MÜLLER-BUSCHBAUM 585
Crystal and Molecular Structure of Aminoguanidine Sulphate, an Important Enzyme Inhibitor and Starting Material of Drug Syntheses	The First Oxocuprate/Arsenate Containing Mixed Valent Copper: $Cu(Mg_{2.56}Cu_{0.44})Cu(AsO_4)_3$ (In German) 556
M. KOSKINEN, I. MUTIKAINEN, H. ELO	D. OSTERLOH, HK. MÜLLER-BUSCHBAUM 589
On the Chemistry of Roccellic Acid (In German)	μ_2 -Halogeno Complexes of N-Bromosuccinimide and N-Bromophthalimide. The Crystal Structures of $PPh_4[X(N\text{-Bromosuccinimide})_2]$ and $PPh_4[X(N\text{-Bromophthalimide})_2]$ with $X = Cl$ and Br (In German) 561
S. HUNECK, J. SCHMIDT, A. PORZEL	M. GHASSEMZADEH, K. HARMS, K. DEHNICKE, D. FENSKE 593
Synthesis and Spectroscopic Properties of the Stereoisomeric Esters from L- and D-N-Benzoylalanin and L- and D-N-Benzoylalaninol (In German)	μ_2 -Halogeno Complexes of N-Iodosuccinimide. The Crystal Structures of $PPh_4[X(N\text{-Iodosuccinimide})_2] \cdot CH_3CN$ with $X = Cl, Br, I$ (In German) 569
S. HUNECK, A. PORZEL	M. GHASSEMZADEH, K. DEHNICKE, H. GOESMANN, D. FENSKE 602

Benzylidene- and Methylene-bis-silyl triflates as New Synthetic Materials for Organosilicon Polymers (In German)	W. UHLIG	609	Preparation and Crystal Structure of the Cesium Selenidobermanates(IV) $\text{Cs}_4\text{Ge}_4\text{Se}_{10} \cdot 2\text{CH}_3\text{OH}$ and $\text{Cs}_4\text{Ge}_2\text{Se}_8$ (In German)	W. S. SHELDRICK, B. SCHAAF	655
Crystal Structure of Lead(II) Complexes with 2,2'-Iminodiethanol	A. V. SIENKIEWICZ, V. N. KOKOZAY	615	Transition Metal Complexes with Sulfur Ligands, Cl. Synthesis and Structure of $\text{N}_2\text{H}_5[\text{Fe}(\text{N}_2\text{H}_4)(\text{S}_2\text{C}_6\text{H}_4)_2] \cdot 1,33\text{N}_2\text{H}_4$ (In German)	D. SELLMANN, H. FRIEDRICH, F. KNOCH	660
New Organometallic Tin–Tellurium Compounds. Syntheses and Crystal Structures of $[(\text{Cp}(\text{CO})_2\text{Fe})_4\text{Sn}_2\text{Te}_2]$, $[(\text{Cp}(\text{CO})_3\text{Mo})_4\text{Sn}_2\text{Te}_2]$ and $[(\text{Cp}(\text{CO})_3\text{Mo})_4\text{Sn}_4\text{Te}_6]$ (In German)	K. MERZWEILER, H. KRAUS	621	Synthesis and Characterization of Cu(II) and Mono- and Dinuclear Pb(II) Complexes Derived from 3,5-Diacetyl-1,2,4-triazole	P. SOUZA, A. I. MATESANZ, A. ARQUERO, V. FERNANDEZ	665
Preparation and Structure of Three Different Bis(ethylenediamine) Copper(II) Tetraborates (In German)	M. SHAKIBAIE-MOGHADAM, U. TIMPER, G. HELLER	627	Unexpected Formation of 1-Amino-4,4,5,5-tetramethyl-3-(5,5,6,6-tetramethyl-1,4,5,6-tetrahydropyridazin-3-yl)pyrrolidin-2-one	J. VOSS, R. RÖSKE, G. ADIWIDJAJA	672
Crystal Structure of $\text{Sr}_{0.2}\text{Ca}_{2.8}\text{Tl}_2\text{O}_6$	K. RUCK, H. BORRMANN, A. SIMON	635	Tris(1,10-phenanthroline)iron(II) Complexes. Influence of 4,7-Donor Substitution on the Redox Potential	M. LEVIS, U. LÜNING, M. MÜLLER, M. SCHMITTEL, C. WÖHRLE	675
The Anion $[\text{R}_2\text{Al}-\text{AlR}_2\text{Br}]^-$ ($\text{R} = \text{CH}(\text{SiMe}_3)_2$) with an Aluminium–Aluminium and a Terminal Aluminium–Bromine Bond (In German)	W. UHL, U. SCHÜTZ, S. POHL, W. SAAK	637	A Pentamethylcyclopentadienyl Ligand Functionalized with a Pendant Pyridyl Group; Crystal Structure of its Ferrocene-Type Iron Complex	U. SIEMELING, B. NEUMANN, H.-G. STAMMLER	683
Gold(I) Complexes of Organic Nitrogen Compounds: Synthesis and Structures of (Phthalimido)(triphenylphosphine)gold(I) in Crystals $\text{C}_6\text{H}_4(\text{CO})_2\text{N}(\text{AuPPh}_3)$ and $\text{C}_6\text{H}_4(\text{CO})_2\text{N}(\text{AuPPh}_3) \cdot \text{CHCl}_3$	P. LANGE, A. SCHIER, J. RIEDE, H. SCHMIDBAUR	642	Synthesis of Novel 3-Acetyl-2-hydroxy-1-N,N-diacylaminocarbazole Derivatives	M. SEKAR, S. VANITHA, K. J. RAJENDRA PRASAD	687
A New Synthesis of Dimethylgold(III) Chloride Using Tetramethyltin	M. PAUL, H. SCHMIDBAUR	647	New Synthetic Routes to Homonuclear Cobalt Hydride Clusters (In German)	J. J. SCHNEIDER	691
The Crystal Structures of $\text{Li}[\text{PF}_6]$ and $\text{Li}[\text{AsF}_6]$: On the Crystal Chemistry of Compounds $\text{A}[\text{E}^{\text{V}}\text{F}_6]$ (In German)	C. RÖHR, R. KNIEP	650	Covalent Adducts from 2-Substituted 5-Arylazotropones and Nucleophiles and their Fate	M. CAVAZZA, F. PIETRA	697

Solid Phase Synthesis of Muramyl Dipeptide Derivatives and Investigations on their Biological Activities (In German)		Preparation, Vibrational Spectra, and Normal Coordinate Analysis of Bromo-Iodo-Rhenates(IV), $[ReBr_nI_{6-n}]^{2-}$, $n = 0-6$ (In German)	
J. TSCHAKERT, W. VOELTER	702	P. PRILLWITZ, W. PREETZ	753
<i>Notes</i>			
Synthesis and Spectroscopic Study of Pentacarbonyl(η^2 -tetracyanoethylene) Metal(0) Complexes of the Group 6B Elements		Thermodynamic Examinations on the Lewis Acidity of Trimethylchlorosilane – the Phase Diagrams and Excess Volumes of the Systems $(CH_3)_3SiCl$ /Pyridine and $(CH_3)_3CCl$ /Pyridine (In German)	
I. A. MOUR, S. ÖZKAR	717	M. W. ZENKE, K. HENSEN	759
Contents of Number 6			
<i>Original Communications</i>			
Compounds at the Zintl Border: Preparation and Crystal Structure of $Na_{17}Ga_{29}In_{12}$ and $K_{17}In_{41}$ (In German)		Fusing Nickelocene and Cyclopentadiene by Two Silyl Bridges. Synthesis and 1H , ^{13}C , and ^{29}Si NMR Investigation of a Paramagnetic Building Block for High-Nuclear Metallocenes	
G. CORDIER, V. MÜLLER	721	M. FRITZ, J. HIERMEIER, F. H. KÖHLER	763
On the Preparation of $(CH_3)_2SSSH^+SbF_6^-$ and $(CH_3)_2SSSCH_3^+SbCl_6^-$ (In German)		Structures of Two Polynuclear Nickel-Thiolato-Complexes $[(\mu-SMe)_2(Ni(MeNHCS_2))_2]$ and <i>cyclo</i> - $[(\mu-SMe)_2Ni]_6$ (In German)	
R. MINKWITZ, A. KORNATH	729	K. SCHULBERT, R. MATTES	770
Structure and Doping of Seleno Silicates: the Crystal Structures of Er_2SeSiO_4 and $Er_{3.75}Ca_{0.25}Se_{2.75}Cl_{0.25}Si_2O_7$ (In German)		Contributions to the Chemistry of Phosphorus, 228. Functionalized Diphosphanes as Synthetic Building Blocks: $LiH(t-BuP)_2$, $Li_2(t-BuP)_2$, $K_2(i-PrP)_2$, $(i-PrP)_2Cl_2$ (In German)	
K. STÖWE	733	M. BAUDLER, H. TSCHÄBUNIN, H. SUCHOMEL, J. HASENBACH	773
Formation of Iodoantimonates and Bismutates. Crystal Structures of $(PhCH_2NEt_3)_4[Sb_6I_{22}]$, $(PhCH_2NEt_3)_4[Bi_6I_{22}]$ and $(Ph_4P)_3[Bi_5I_{18}]$ (In German)		Luminescence Quenching and Photooxidation of Trichlorostannate(II) by Oxygen	
S. POHL, M. PETERS, D. HAASE, W. SAAK	741	A. BECHT, A. VOGLER	778
U_3TiSb_5 , U_3VSb_5 , U_3CrSb_5 , and U_3MnSb_5 with "Anti"- Hf_5Sn_3Cu Type Structure		Polynuclear Gold(I) Complexes of Dendritic Amines: Formation of Terminal Tris[(triphenylphosphine)aurio(I)]ammonium Groups – $N(AuPPh_3)_3^{1+}$ (In German)	
M. BRYLAK, W. JEITSCHKO	747	P. LANGE, H. BERUDA, W. HILLER, H. SCHMIDBAUR	781
Compounds Involving the 5,6-Benzo-1,3,2-diaza-phosphorinane-4-one Ring System: Synthesis of 2-Chloro-, 2-N,N-dimethylamino- and 2-Bis-(2-			

<p>chloroethyl)amino-Substituted Derivatives with Three- and Four-Coordinated Phosphorus (In German)</p> <p>R. SONNENBURG, I. NEDA, A. FISCHER, P. G. JONES, R. SCHMUTZLER 788</p> <p>Organophosphorus Compounds with Tertiary Alkyl Substituents. III: Synthesis and Reactions of Di-1-adamantyl-Substituted Phosphorus Compounds; Crystal Structure of Di-1-adamantyl-phosphinic Chloride (In German)</p> <p>J. R. GOERLICH, A. FISCHER, P. G. JONES, R. SCHMUTZLER 801</p> <p>Crystalchemical Analysis of the Stereochemistry of the Cations and Anions in Bis(triphenylphosphine)iminium Di(phthalocyaninato)metalates of the Rare Earth Elements, $(PNP)[Ln(Pc^{2-})_2] \cdot xH_2O$ ($Ln = La, Gd, Tm$; $x \leq 0.5$) (In German)</p> <p>M. S. HAGHIGHI, A. FRANKEN, H. HOMBORG 812</p> <p>Transition Metal Complexes with Sulfur Ligands, CV. Ni(II) and Ni(III) Complexes with the Pentadentate Thioether-Thiolate-Amine-Ligand '$N_{Me}S_4^{2-}$' ($N_{Me}S_4^{2-}$ = Dianion of 2,2'-Bis(2-mercaptophenylthio)diethylmethylamine) (In German)</p> <p>D. SELLMANN, T. HOFMANN, F. KNOCH 821</p> <p>Organometallic Oxides: The Crystal Structure of $[(\eta-C_5H_5)Ti]_8(\mu-O)_{12}$ (In German)</p> <p>F. HESHMATPOUR, S. WOCADLO, W. MASSA, K. DEHNICKE, F. BOTTOMLEY, R. W. DAY 827</p> <p>Silaheterocycles, XXVII. Controlling the Cycloaddition Behavior of Silenes by Substituent Effects (In German)</p> <p>N. AUNER, C. WAGNER, W. ZICHE 831</p> <p>Pd(II) and Pt(II) Complexes of 1,2-Bis(pyridin-2-yl)ethane-<i>N,N'</i></p> <p>A. MCFARLANE, J. R. LUSTY, J. J. FIOL, A. TERRÓN, E. MOLINS, C. MIRAVITLLES, V. MORENO 844</p>	<p><i>Notes</i></p> <p>Excitonic Bands in the Optical Absorption Spectra of A_3MX_6 and $A_3M_2X_9$ ($A = MeNH_3, Me_2NH_2, Me_3NH, Me_4N$; $M = Bi, Sb$; $X = Cl, Br, I$)</p> <p>G. C. PAPAVASSILIOU, I. B. KOUTSELAS 849</p> <p>Formation and Crystal Structure of the Complex $[(18\text{-Crown}\text{-}6})(CH_2Cl_2)_2]$ (In German)</p> <p>P. G. JONES, O. HIEMISCH, A. BLASCHETTE 852</p>
<p>Contents of Number 7</p> <p><i>Original Communications</i></p>	
<p>Tris[(trimethylsilyl)oxy]antimony</p> <p>M. BAIER, K. ANGERMAIER, H. SCHMIDBAUR 855</p> <p>Synthesis of Alkyne, Alkynyl and Vinylidene Rhodium Complexes from Alkynyltriphenylsilanes (In German)</p> <p>M. BAUM, B. WINDMÜLLER, H. WERNER 859</p> <p>Synthesis, ^{121}Sb-Mößbauer Spectra and Structures of $[SbF_3(18\text{-Crown}\text{-}6)}], [SbF_3(18\text{-Crown}\text{-}6)} \cdot CH_3CN$, and $[(SbF_3)_2(12\text{-Crown}\text{-}4)}]$ (In German)</p> <p>I. BECKER, M. WINDHAUS, R. MATTES 870</p> <p>A Cyclic Organoantimony(III) Oxide, $(RSbO)_4$ [$R = Me_3Si)_2CH$] (In German)</p> <p>H. J. BREUNIG, M. A. MOHAMMED, K. H. EBERT 877</p> <p>On the Reactions of Molecules $(R_2CS)_2$ ($R = CF_3, Cl$) and Cl_2CS with $XeF^+MF_6^-$ ($M = As, Sb$) and Crystal Structure of $(CF_3)_2CSC(CF_3)_2SF^+SbF_6^-$ (In German)</p> <p>R. MINKWITZ, B. BÄCK, H. PREUT 881</p> <p><i>Tripod</i> Ligands with Two Different Donor Groups: Synthesis and Coordination of $H_3CC(CH_2PPh_2)(CH_2OH)$ (In German)</p> <p>A. MUTH, G. REINHARD, G. HUTTNER, TH. SEITZ, TH. KLEIN, L. ZSOLNAI 889</p>	

(Hydroxymethyl)diphenyl(piperidinoalkyl)silanes of the Type $(\text{HOCH}_2)(\text{C}_6\text{H}_5)_2\text{Si}(\text{CH}_2)_n\text{NC}_5\text{H}_{10}$ ($n = 2, 3$) and their Methiodides: Synthesis, Structure and Antimuscarinic Properties (In German)		Studies on Bis-hydrazine Complexes of Metal Propionates and Mixed Metal Propionates B. N. SIVASANKAR, S. GOVINDARAJAN 950
R. TACKE, M. KROPFGANS, A. TAFEL, F. WIESENBERGER, W. S. SHELDICK, E. MUTSCHLER, HJ. EGERER, N. RETTENMAYR, J. GROSS, M. WAELBROECK, G. LAMBRECHT 898		Metal Complexes of Dyes, V. A. Trisplatinum(II) Complex with the Trianion of Triquinolobenzene as Tri(chelate) Ligand (In German) A. LENZ, K. POLBORN, W. BECK 955
A Mixed Valence Oxometallate with Cr^{3+} Instead of Ti^{3+} : $\text{Ba}_2\text{Ti}_4^{4+}\text{Cr}_2\text{O}_{13}$ (In German)	S. MÖHR, HK. MÜLLER-BUSCHBAUM 911	Chemistry of Gallium, III. Synthesis and Structure of a Tetraamino-Substituted Digallane (In German) G. LINTI, R. FREY, M. SCHMIDT 958
On a Mixed Valent Oxoniobate Containing Planar Polygons Around Niobium and Barium: $\text{BaNb}^{2+}\text{Nb}_2^{4+}\text{O}_6$ (In German)	S. MÖHR, HK. MÜLLER-BUSCHBAUM 915	1,3-Dipolar Cycloaddition of Dinitrones – Formation of Tricyclic Dimers (In German) H. G. AURICH, A. CHAIR 963
On EuBeGd ₂ O ₅ and on Phases of the Composition $\text{M}_{1-x}\text{M}'_x\text{BeLn}_2\text{O}_5$: $\text{Ca}_{0.4}\text{Sr}_{0.6}\text{BeSm}_2\text{O}_5$, $\text{Ba}_{0.25}\text{Ca}_{0.75}\text{BeNd}_2\text{O}_5$ and $\text{Ba}_{0.36}\text{Sr}_{0.64}\text{BeNd}_2\text{O}_5$ (In German)	Hk. MÜLLER-BUSCHBAUM, S. FRENZEN 919	5-Alkoxy(Aralkoxy)-3,6-dihydro-2H-1,3,4-oxadiazin-2-ones(thiones) from 2-Hydroxycarbonylhydrazone Esters (In German) D. GEFFKEN, C. HOLST 970
On SrCo ₂ V ₂ O ₈ and SrCo ₂ (AsO ₄) ₂ (In German)	D. OSTERLOH, HK. MÜLLER-BUSCHBAUM 923	Isolation of Venturicidin X, the Aglycon of Venturicidines A and B from Streptomyces sp. (In German) H. LAATSCH, M. KELLNER, Y-S. LEE, G. WOLF 977
$\text{Cd}_{0.73}\text{Cu}_{0.27}\text{V}_2\text{O}_6$: A Compound with Brannerite Structure (In German)	S. MÜNCHAU, HK. MÜLLER-BUSCHBAUM 927	<i>Notes</i>
Monomeric $[(\text{Me}_3\text{Si})_2\text{CH}]_2\text{Al}-\text{Te}-\text{Al}[\text{CH}(\text{SiMe}_3)_2]_2$ with a Bent Al–Te–Al Group (In German)	W. UHL, U. SCHÜTZ 931	Tinorganic Fluorides Function as Fluorinating Reagents for Chlorides of Main Group Elements – Quantitative Recycling of the Fluorinating Reagent (In German) H. W. ROESKY, A. HERZOG, K. KELLER 981
NaK ₉ Tl ₁₃ : A New Compound at the Zintl Border with Isolated Tl ₁₂ Icosahedra, Centered by Tl Atoms (In German)	G. CORDIER, V. MÜLLER 935	Crystal Structure of $(\text{Ph}_3\text{PNH}_2)_4[\text{Sb}_6\text{O}_{10}\text{Cl}_{14}] \cdot 2\text{CH}_3\text{CN}$ (In German) D. FENSKE, R. GARBE, K. DEHNICKE 983
Chemistry of the 4,5-Benzo-3-methyl-1,3,2-oxaza-phosphorinan-6-one Ring System: X-Ray Crystal Structure Analysis of a Bis(2-chloroethyl)-amino- and of an Acetamido-Substituted Derivative (In German)	A. FISCHER, I. NEDA, TH. KAUKORAT, R. SONNENBURG, P. G. JONES, R. SCHMUTZLER 939	$\text{Cu}_6\text{Br}_6(\text{NPMe}_3)_4$, a Mixed-Valent Cluster of Copper (In German) R. MEYER ZU KÖCKER, K. DEHNICKE, D. FENSKE 987
		A Dimer of Ferroceno[1,2]cyclohexen-1-one-3 (In German) H. BRUNNER, M. MUSCHIOL, B. NUBER 991

RbTe ₆ , a Polytelluride with Layer Structure ∞ [Te ₆ ⁻] (In German)		The Binuclear Fe(III) Complex of N,N,N',N'-Tetrakis(2-pyridylmethyl)-2-hydroxy-1,3-diaminopropane – Molecular and Crystal Structure and its Interaction with Montmorillonite (In German)	
W. S. SHELDICK, B. SCHAAF	993	A. WEISS, ST. DICK	1051
Erratum	997		
 Contents of Number 8		 Synthesis and Spectroscopic Studies of Pentacarbonylfumaronitrile-chromium(0), -molybdenum(0), and -tungsten(0)	
<i>Original Communications</i>		I. A. MOUR, S. ÖZKAR, C. G. KREITER 1059	
Polysulfonylamines, LVIII. Conservation of the Conformation of the Uncomplexed Coronand in a Supramolecular 18-Crown-6 Complex: Formation and Crystal Structures of 18-Crown-6-Dimesylamine (3/2) and of Two Modifications of Free Dimesylamine (In German)		Molecular and Crystal Structure of 8-(n-Butylamino-phenyl-methylidene)-1,2,3,4,5,6,7-hepta-thiocane (In German)	
A. BLASCHETTE, P. G. JONES, K. LINOH, I. LANGE, M. NÄVEKE, D. HENSCHEL, A. CHRĄPKOWSKI, D. SCHOMBURG	999	F. W. HEINEMANN, H. HARTUNG, N. MAIER, H. MATSCHINER	1063
Interactions in Crystals, 35. Single Crystal Growths of Na [⊕] C(NO ₂) ₃ [***] from Ether Solutions to a Polymer Band [(Na [⊕] C(NO ₂) ₃)-Dioxane] _∞ and to a Solvent-Separated Ion Pair [(Na [⊕] /18-Crown-6)(THF) ₂] [⊕] [(Na [⊕] /18-Crown-6)-(ONO-C [⊖] (NO ₂) ₂) ₂] [⊖] (In German)		Mößbauer Investigation of Ferrimagnetic Spinels in the System Cd _x Ni _{1-x} Fe ₂ O ₄ (In German)	
H. BOCK, T. HAUCK, C. NÄTHER, Z. HAVLAS	1012	E. RIEDEL, D. PRICK, E. WOLSKA	1067
Structures of Charge-Perturbed Molecules, 47. Disodium and Dipotassium Nitranilates: The Cyanine Distortion of the Six-Membered Carbon Ring (In German)		MgNi ₂ P – The First Ternary Phosphide with an Ordered Fe ₃ C Type Structure (In German)	
H. BOCK, S. NICK, C. NÄTHER, J. W. BATS	1021	V. KEIMES, A. MEWIS	1071
Crystal Structures of the [2.2.2]Cryptates [Cd(cryptand 222)][CdCl ₄] and [Hg(cryptand 222)][Hg ₂ Cl ₆] with 8-Coordinated Metal Ions (In German)		Dimorphic ThNi ₂ P ₂ with BaCu ₂ S ₂ and CaBe ₂ Ge ₂ Type Structure	
J. PICKARDT, B. KÜHN	1031	J. H. ALBERING, W. JEITSCHKO	1074
1,2-Di(silyl)benzene and 1,4-Dibromo-2,5-di(silyl)benzene		Preparation and Crystal Structure of the Carbides Ln ₁₂ Re ₅ C ₁₅ (Ln = Y, La–Nd, Gd–Er)	
R. SCHRÖCK, A. SLADEK, H. SCHMIDBAUR	1036	R. PÖTTGEN, G. BLOCK, W. JEITSCHKO, R. K. BEHRENS	1081
Stable and Unstable Products on the Reaction of 2,2-Diphenyl-1,2-dihydroquinolinenitroxide Radicals with Nitric Oxide (In German)		A Novel Synthetic Approach to Asymmetric Salen, Dihydrosalen, and Tetrahydrosalen Ligands: Structures and O ₂ -Activating Properties of their Nickel(II) and Cobalt(II) Complexes	
H. WEBER, A. GRZESIOK, R. SUSTMANN, H.-G. KORTH	1041	A. BÖTTCHER, H. ELIAS, B. EISENMANN, E. HILMS, A. HUBER, R. KNIEP, C. RÖHR, M. ZEHNDER, M. NEUBURGER, J. SPRINGBORG	1089
Silaethenes XVI. Formation and Reactivity of the Silaethenes Me(Vi)Si=CHCH ₂ 'Bu and Vi ₂ Si=CHCH ₂ 'Bu (In German)		Preparation, ¹¹ B, ¹³ C, ¹ H NMR and Vibrational Spectra of 1,2-Trimethylenepentahydro-closo-hexaborate(1-), <i>cis</i> -[B ₆ H ₅ (CH ₂) ₃] ⁻ , and	
J. GROBE, H. ZIEMER	1101		

1,2-Tetramethylenepentahydro-closo-hexaborate(1-), <i>cis</i> -[B ₆ H ₅ (CH ₂) ₄] ⁻ , and the Crystal Structures of [P(C ₆ H ₅) ₄][B ₆ H ₅ (CH ₂) ₃] and [P(C ₆ H ₅) ₄][B ₆ H ₅ (CH ₂) ₄] (In German)	BaCeN ₂ , a Bariumnitridocerate(IV) with a Structure of the <i>anti</i> -TiP Type (In German)
W. LÜBBE, A. FRANKEN, W. PREETZ 1115	O. SEEGER, J. STRÄHLE 1169
Alkali Metal Formates, VI. The Crystal Structure of Rubidium Hydrogen Diformate, RbH(HCO ₂) ₂ (In German)	Investigations on Phases in the System 2 Ha-TaS ₂ -2 Hc-MoS ₂ (In German)
K. MÜLLER, K.-J. RANGE, A. M. HEYN 1123	P. REMMERT, E. FISCHER, H.-U. HUMMEL 1175
Oxo and Non-oxovanadium(IV) Complexes with Oxy-Carboxylate Ligands, and the Structure of VCl ₂ (salen) (In German)	Alkali Metal Formates, V. The Crystal Structure of Sodium Formate Dihydrate, NaHCO ₂ ·2 H ₂ O (In German)
V. VERGOPOULOS, S. JANTZEN, N. JULIEN, E. ROSE, D. REHDER 1127	K. MÜLLER, K.-J. RANGE, A. M. HEYN 1179
On a New Alkaline Copper Oxovanadate KCu ₅ V ₃ O ₁₃ (In German)	Five-Coordinate Complexes
F.-D. MARTIN, Hk. MÜLLER-BUSCHBAUM 1137	[tripodM-(<i>ortho</i> -(X)(Y)C ₆ H ₄)] ⁿ (X, Y = O, S) with d ⁵ -, d ⁶ - and d ⁷ -Systems. Synthesis, Structure, Electrochemistry and ESR-Spectra (In German)
On KBa ₂ V ₂ O ₇ Cl (In German)	V. KÖRNER, A. ASAM, G. HUTTNER, L. ZSOLNAI, M. BÜCHNER 1183
F.-D. MARTIN, Hk. MÜLLER-BUSCHBAUM 1141	Metal Complexes with Biologically Important Ligands, LXXIII. Organometallic Compounds of Palladium(II), Platinum(II), Rhodium(III) and Iridium(III) with N-6-Deoxy-galactopyranosyl- α -amino Acids (In German)
Synthesis and Crystal Structure of Cu _{0.25} Ho _{1.25} W ₂ O ₈ (In German)	Y. ZHOU, B. WAGNER, K. POLBORN, K. SÜNKEL, W. BECK 1193
H. SZILLAT, H. MÜLLER-BUSCHBAUM 1145	Vibrational Spectra and Force Constants of the Linear Anions [M ^{II} P ₂] ⁴⁻ and [M ^I X ₂] ⁵⁻ (M ^{II} = Zn, Cd, Hg; M ^I = Cu, Ag; X = E 15) in Potassium Compounds and in Na ₄ [HgP ₂] (In German)
Ring-Opening of (-)-Camphorsulfonimide Derivatives and (+)-Fenchonesulfonimide by Ni-tronium Tetrafluoroborate	M. SOMER 1203
G. WAGNER, U. VERFÜRTH, R. HERRMANN, C. KRÜGER 1150	An Efficient Synthesis of Diaryllallenylidene Pentacarbonyl Chromium and Tungsten Complexes - Crystal Structure of (CO) ₅ Cr=C=C=CPh ₂ (In German)
Original Communications	H. FISCHER, D. REINDL, G. ROTH 1207
A Second Polymorphic Form of Te ₄ (WCl ₆) ₂ (In German)	Synthesis and Structure of Tetraethylcyclotetraarsathiane and its Complexes [Ag{cyclo-(C ₂ H ₅ AsS) ₄ } ₂]CF ₃ SO ₃ and [cyclo-(C ₂ H ₅ AsS) ₄] ⁺ ·2 SbBr ₃
J. BECK 1159	TH. HÄUSLER, W. S. SHELDICK 1215
Crystal Structure and Vibrational Spectra of Zn(NH ₃) ₄ (ClO ₄) ₂ (In German)	Linear Oligophosphaalkanes, XXVII. Fragmentation and Cyclization of Dissecondary Methylenebisphosphanes with Bulky Aromatic Substituents in Fe ₃ and Ru ₃ Clusters (In German)
H. HILLEBRECHT, G. THIELE, A. KOPPENHÖFER, H. VAHRENKAMP 1163	

Contents of Number 9

Original Communications

A Second Polymorphic Form of Te ₄ (WCl ₆) ₂ (In German)	
J. BECK 1159	
Crystal Structure and Vibrational Spectra of Zn(NH ₃) ₄ (ClO ₄) ₂ (In German)	
H. HILLEBRECHT, G. THIELE, A. KOPPENHÖFER, H. VAHRENKAMP 1163	

F. BITTERER, ST. KUCKEN, K. P. LANGHANS, O. STELZER, W. S. SHELDICK	1223	Haemophaein, a Dibenzofuran from the Lichen <i>Phyllopsora haemophaea</i> (In German)	
Structure and Magnetic Properties of a Dinuclear Complex with Iron(III) in Octahedral and Pyramidal Coordination		U. HIMMELREICH, S. HUNECK	1292
A. ELMALI, Y. ELERMAN, I. SVOBODA, H. FUESS, K. GRIESAR, W. HAASE	1239	Triacylglycerols, Fucosterol, Diacylglyceroglycolipids and Fucoxanthin from <i>Fucus virsoides</i> J. AG.	
The Crystal Structure of [Bis(tri- <i>t</i> -butyl-phosphine)gold(I)] Chloride		G. FALSONE, F. CATENI, E. VRECH, L. BIRKOFER, V. LUCCHINI, H. WAGNER, O. SELIGMANN, L. COASSINI LOKAR	1297
E. ZELLER, A. SCHIER, H. SCHMIDBAUR	1243		
New Mono- and Spirobicyclic Aminosilanes: Synthesis, Structure and Properties (In German)			
TH. SCHLOSSER, A. SLADEK, W. HILLER, H. SCHMIDBAUR	1247		
Crystal Growth and X-Ray Structure of Metastable α -KCoPO ₄			
M. LUJÁN, F. KUBEL, H. SCHMID	1256		
Preparation of μ -Nitroso-bis(pentahydro-closo-hexaborate)(3-) and Crystal Structure of Cs ₃ [B ₆ H ₅ (NO)B ₆ H ₅] (In German)			
A. FRANKEN, W. PREETZ	1263		
Preparation, ¹¹ B, ¹³ C NMR and Vibrational Spectra of Aminomethylhexahydro-closo-hexaborate(1-), [B ₆ H ₆ (CH ₂ NH ₂)] ⁻ , and Crystal Structures of Cs[B ₆ H ₆ (CH ₂ NH ₂)] and K[B ₆ H ₆ (CH ₂ NH ₂)] (In German)			
A. FRANKEN, W. PREETZ	1267		
Crystal Structure of MnSO ₃ ·H ₂ O, A Nearly Symmetrical Layer Structure (In German)			
B. ENGELEN	1272		
On a Barium Rare-Earth Oxomanganate(IV, V): Ba ₃ ErMn ₂ O ₉ (In German)			
CH. RABROW, HK. MÜLLER-BUSCHBAUM	1277		
The Crystal Structure of TiZnPO ₄ and TiZnAsO ₄ (In German)			
M. ANDRATSCHKE, K.-J. RANGE, C. WEIGL, U. SCHIESSL, F. RAU	1282		
Squamarone, a Naphthoquinone from the Lichen <i>Squamaria cartilaginea</i> (In German)			
U. HIMMELREICH, S. HUNECK, G. B. FEIGE, H. T. LUMBSCH	1289		
		<i>Notes</i>	
		Asymmetric Catalysis, 88. Kinetics of the Rh Catalysed Hydrogenation of (Z)-(α)-N-Acetamido-cinnamic Acid with Optically Active Layer-Phosphines as Ligands (In German)	
		H. BRUNNER, J. FÜRST, U. NAGEL, A. FISCHER	1305
		<i>Contents of Number 10</i>	
		<i>Original Communications</i>	
		Er ₂ Au ₂ Sn and other Ternary Rare Earth Metal Gold Stannides with Ordered Zr ₃ Al ₂ -Type Structure	
		R. PÖTTGEN	1309
		Bis(triorganotelluronium)hexasulfides (In German)	
		M. WIEBER, R. HABERSACK	1314
		Synthesis and Vibrational and Mass Spectra of Ph ₃ SnO ₂ PM ₂ , Ph ₃ SnO ₂ PM ₂ Ph and Ph ₃ SnO ₂ PPh ₂	
		A.-F. SHIHADA	1319
		Metal Complexes of 6,6'-Dialkynyl-Substituted 2,2'-Bipyridine Ligands: Synthesis and Structure of [{6,6'-(CH ₃ CH ₂ CH ₂ C≡C) ₂ bpy}Cu(Cl)(μ -Cl)] ₂ (In German)	
		E. KÖVÁRI, R. KRÄMER	1324
		Synthesis and Crystal Structure of NaMg _{1,64} Cu _{0,36} V ₃ O ₁₀ (In German)	
		F.-D. MARTIN, HK. MÜLLER-BUSCHBAUM	1329

Neutron Diffraction Studies on $Mg(IIO_3)_2 \cdot 4H_2O$ Single Crystals (In German)	Borylation of 1,1'-Dibromoferrocene and Alkyl- ferrocenes
H. MÖLLER, E. SUCHANEK, H. D. LUTZ, W. PAULUS	B. WRACKMEYER, U. DÖRFLER, J. RINCK, M. HER- BERHOLD 1403
Electron Transfer and Ion Pair Formation, 34. Single Crystal Structure of the Solvent-Sepa- rated Ion Pair $[9,9'-Bianthryl]^{+}[Na^+(DME)_3]$ (In German)	Determination of Absolute Signs of $^{119}Sn - ^{117}Sn$ Spin-Spin Coupling Constants
H. BOCK, A. JOHN, CH. NÄTHER, Z. HAVLAS	B. WRACKMEYER, G. KEHR 1407
Synthesis and Molecular Structure of Silylated Ethenes and Acetylenes	Synthesis and Structure of Diastereomeric Di- nuclear Copper Complexes (In German)
CH. RÜDINGER, H. BERUDA, H. SCHMIDBAUR	R. W. SAALFRANK, O. STRUCK, K. PETERS, H. G. V. SCHNERING 1410
Synthesis and Structures of 2,2,4,4-Tetrafluoro- 1,3-diphosphetanes and of -1,3-diphosphetane Disulfides (In German)	Synthesis, Reactivity and Structure of Cobalt Semicorrinate Complexes (In German)
M. FILD, P. G. JONES, K. RUHNAU, C. THÖNE	R. W. SAALFRANK, O. STRUCK, K. PETERS, H. G. V. SCHNERING 1415
A New Carbonate with Baylissite Structure: $Rb_2[Mg(CO_3)_2(H_2O)_4]$ (In German)	Factors Influencing the Acid Lability of Substi- tuted Arylsulphonyl Arginine Protecting Groups
Y. Q. ZHENG, A. ADAM	S. S. ALI, H. ECHNER, K. M. KHAN, CH. SCHRÖDER, M. HASAN, ATTA-UR-RAHMAN, W. VOELTER 1425
Concerning the Crystal Structures of the Cyano- Elpasolites $[N(CH_3)_4]_2CsCo(CN)_6$ and $[H_3NCH_3]_2NaFe(CN)_6$ (In German)	A Novel Entry into Cyclopropanated Sugar Amino Acids
ST. PESCHEL, D. BABEL	FAKHAR-UZ-ZAMAN, A. FATIMA, A. MALIK, W. VOELTER 1434
Synthesis, Crystal Structure, and Properties of Tetraaminophosphonium Iodide $[P(NH_2)_4]I$ (In German)	
ST. HORSTMANN, W. SCHNICK	
Intercalation of Pyridine into Ternary Transition Metal Disulfides $Ta_{1-x}Mo_xS_2$ (In German)	
P. REMMERT, H.-U. HUMMEL	
Diyne Complexes of Tungsten(VI). The Crysta- tal Structure of $[(Et_2S)WCl_4(Me_3Si-C\equiv C-$ $(CH_2)_4-C\equiv C-SiMe_3)WCl_4(SEt_2)]$ (In German)	
P. DIERKES, K. DEHNICKE	
Structural Characterization of Dihydroselenapyrans Prepared by the Reaction of Diarylselenoketones with Conjugated Dienes	
R. FRÖHLICH, M. GREHL, ST. WILKER, G. ERKER, P. MAZEROLLES, CH. LAURENT	
	Notes
	Ho_4C_7, Y_4C_7 : Carbides with C_3^{4-} and C_4^{4-} Ions (In German)
	H. MATTAU SCH, TH. GULDEN, R. K. KREMER, J. HORAKH, A. SIMON 1439
	The Crystal Structure of the Lithium Phenylamid- inate $\{Li_3[C_6H_5-C(NSiMe_3)_2]_3 \cdot NC-C_6H_5\}$ (In German)
	T. GEBAUER, K. DEHNICKE, H. GOESMANN, D. FENSKE 1444
	Crystal Structures of Magnesium Dibromide Di- glyme Adducts (In German)
	N. METZLER, H. NÖTH, M. SCHMIDT, A. TREITL 1448

Contents of Number 11

Original Communications

Hydroboration Products of Carbodiimides with (9 H-9-BBN) ₂ (In German)		Water-Soluble Phosphanes, III. Water-Soluble Primary Phosphanes with Ammonium Groups NR ₂ R' in the Side Chain – Donor-Functionalized Amphiphiles (In German)
R. BOESE, R. KÖSTER, M. YALPANI	1453	D. J. BRAUER, J. FISCHER, ST. KUCKEN, K. P. LANGHANS, O. STELZER, N. WEFERLING 1511
On K ₄ CuV ₅ O ₁₅ Cl (In German)		Ternary Rare Earth Metal Gold Stannides and Indides with Ordered U ₃ Si ₂ and Zr ₃ Al ₂ -Type Structure
F.-D. MARTIN, HK. MÜLLER-BUSCHBAUM	1459	R. PÖTTGEN 1525
On the Crystal Chemistry of Compounds with Johillerite Structure: KCo ₃ Cu(As _{2.58} V _{0.42})O ₁₂ (In German)		Heterometallic Compounds. Preparation and Structures of Some Co(III) Complexes with CrO ₄ ²⁻ Ligands (In German)
D. FRERICHS, HK. MÜLLER-BUSCHBAUM	1463	R. C. BRÜGGEDEANN, U. THEWALT 1531
The Structure of Dihydroxonium Alkanedisulfonates (In German)		The Structure and Catalytic Properties of Coordination Polyhedra of 3 d-Metals in Metaphosphate Melts
P. SARTORI, R. JÜSCHKE, R. BOESE, D. BLÄSER	1467	S. V. VOLKOV, V. A. BANDUR, N. I. BURYAK 1539
On the Reaction of Carbene Adducts of Carbon Disulfide with Bromine and Iodine (In German)		The Preparation of Some Mono- and Bis-(thiolate)-2-butyne Complexes of Tungsten(II) of the Types [WI(SR)(CO)(dppm)(η ² -MeC ₂ Me)] {dppm = Ph ₂ P(CH ₂)PPh ₂ ; R = Et, Bu', Ph or CH ₂ Ph} and [W(SR) ₂ (CO)(dppm)(η ² -MeC ₂ Me)]
N. KUHN, H. BOHNEN, G. HENKEL	1473	P. K. BAKER, K. R. FLOWER 1544
Synthesis and X-Ray Crystal Structures of Some Transition-Metal Complexes Involving Ligands with the 4,5-Benzo-3-methyl-1,3,2-oxazaphosphorinan-6-one Framework (In German)		On the Reaction of Sodium Tetracarbonylcobaltate with Aluminiumtrichlorid. Molecular Structure of Co ₄ (CO) ₁₃ Al(THF) ₃ Co ₃ (CO) ₁₀ (In German)
A. FISCHER, I. NEDA, P. G. JONES, R. SCHMUTZLER	1481	J. J. SCHNEIDER, U. DENNINGER, C. KRÜGER 1549
Insertion of Isocyanides into the Palladium-Carbon Bond of Cyclopalladated Complexes		Organometallic Rhodium(III) and -(I) Complexes with 1,3-Dimethylillumazine(DML). The Crystal Structure of [(η ² -(O ⁴ ,N ⁵)DML)(η ⁵ -C ₅ Me ₅)ClRh](PF ₆)
A. ZOGRAFIDIS, K. POLBORN, W. BECK, B. A. MARKIES, G. v. KOTEN	1494	O. HEILMANN, H.-D. HAUSEN, W. KAIM 1554
Crystal Structure and Hydrothermal Synthesis of the Layered Compound Be ₂ (PO ₄)(OH)·2 H ₂ O (In German)		On the Chemistry of Lichens from Turkey. Structure of Nemetzon, the Pigment of the Apothecia from <i>Haematomma nemetzii</i> (In German)
CH. ROBL, V. GÖBNER	1499	S. HUNECK, U. HIMMELREICH, J. SCHMIDT, V. JOHN, U. ZEYBEK 1561
A New Access to Ionic Thionylimides. Single Crystal Structure of N(CH ₃) ₄ NSO (In German)		Electrosynthesis of 2-Alkyl-4(3 H)-quinazolinones
S. MANN, M. JANSEN	1503	E. ESTRADA, A. RIEKER 1566
The Redox Behaviour of Elemental Mercury and Diorganyl Disulphides (In German)		
I. STEINFATT, G. G. HOFFMANN	1507	

Metal Complexes with Biologically Important Ligands, LXXIV. Organometallic Compounds of 2-(3-Thienyl)glycine and Derivatives thereof (In German)		Synthesis of 1-Tungsta-2-phospha-3-cyclobuten-4-ol Complexes by Hydrochlorination of η^3 -Phosphinoketene Complexes (In German)
E. SCHUHMANN, CH. ROBL, W. BECK	1569	J. OSTERMEIER, M. HECKEL, W. HILLER, F. R. KREISSL
Synthesis of Cross-Linked Polyamines		π -Olefin Iridium Complexes, XXII. C–H Activation of Aromatic and Aliphatic Solvent Molecules RH in the Reaction of $[\text{Cp}^*\text{IrCl}_2]_2$ with Butadienemagnesium with Formation of $[\text{Cp}^*\text{Ir}(\eta^3\text{-C}_4\text{H}_7)\text{R}]$, and Crystal Structure of $[\text{Cp}^*\text{Ir}(\eta^3\text{-C}_4\text{H}_7)\text{C}_6\text{H}_5]$ (In German)
G. SOSNOVSKY, J. LUKSZO	1580	J. MÜLLER, P. ESCARPA GAEDE, K. QIAO
N- <i>tert</i> -Butylglyoxylicamide, the New Reagent for Peptide Segment Coupling by Four-Component Reaction (In German)		1640
ST. KÖNIG, R. KLÖSEL, R. KARL, I. UGI	1586	Synthesis and Crystal Structure of Triphenyltelluroniumsulfide (In German)
Contents of Number 12		M. WIEBER, ST. LANG, ST. ROHSE, R. HABERSACK, CH. BURSCHKA
<i>Original Communications</i>		1654
Preparation of CuGaSe ₂ Thin Film Solar Cells Comprising an Electrochemical Gallium Deposition Step		The Preparation of Sterically Demanding Phosphinoesters and their Use for the Synthesis of Rhodium(I) and Rhodium(III) Complexes (In German)
M. MEHLIN, J. RIMMASCH, H. P. FRITZ	1597	W. WOLFSBERGER, W. BURKART, S. BAUER, A. HAMPP, J. WOLF, H. WERNER
Facile Photochemical Synthesis of Benzylphosphines (In German)		Synthesis of Benzo-Bridged, Five-Membered ES ₂ C ₂ Heterocycles with ECl Moieties (E = P, As, Sb, Bi) Starting from 1,2,4,5-Tetramercaptobenzene (In German)
G. MÜLLER, M. WALDKIRCHER, M. WINKLER	1606	H. KÖPF, H. BALZ
(Se,O)-Coordinated Complexes of Subvalent Main Group Metals: The Crystal Structure of Bis(N,N-diethyl-N'-benzoylselenoureato)lead(II) (In German)		Synthesis and Rearrangement of 2,3,5,6-Tetrakis-(isopropylidene)- and 2,3-Bis(isopropylidene)-1,4-diboracyclohexane Derivatives (In German)
M. SCHUSTER, W. BENSCHE	1615	J. HAUSS, A. KRÄMER, H. PRITZKOW, W. SIEBERT
[Mn(SPh)Cl ₃] ²⁻ , [Mn(SPh) ₃ Cl] ²⁻ , [Mn ₂ (SPh) ₆] ²⁻ and [Mn ₄ (SPh) ₆ Br ₄] ²⁻ : Synthesis, Structure and Selected Properties of Some New Chalkogenolate Complexes of Divalent Manganese (In German)		1677
H.-O. STEPHAN, K. GRIESAR, W. HAASE, G. HENKEL	1620	Radical Reactions of 6,6-Dimethylfulvene at Paramagnetic Cobalt(0) Centers – Structure of a Di-cobalt Complex Containing a Tetrameric Hydrocarbon Ligand (In German)
Chiral Thioaldehyde Complexes of Rhenium, X-Ray Structure Determination of [Cp(NO)(Ph ₃ P)Re(η^2 -S=CHPh)]PF ₆		H.-F. KLEIN, E. AUER, TH. JUNG, C. RÖHR, R. KNIEP
W. A. SCHENK, N. BURZLAFF, H. BURZLAFF	1633	1684
Eightfold Functionalization of the Octasilesquioxane Core		Eightfold Functionalization of the Octasilesquioxane Core
P. JUTZI, C. BATZ, A. MUTLUAY	1689	P. JUTZI, C. BATZ, A. MUTLUAY
Transition Metal Substituted Acylphosphanes and Phosphaalkenes, XXIV. Dipolar [3+2]- and		1689

[2+2]-Cycloadditions of Carbonyl Activated Alkynes to $(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})_2\text{Fe-P=C(NMe}_2)_2$. Synthesis and Structure of the 1-Phosphaph-1,3-butadiene $(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})_2\text{Fe-P=C(E)-C(E)=C(NMe}_2)_2$ (E = CO ₂ Me) (In German)	R. HAGER, J. WEIS	1774
L. WEBER, O. KAMINSKI, H.-G. STAMMLER, B. NEUMANN, R. BOESE		1693
Hindered Ligand Movements in Transition Metal Complexes, XLIV. Photoreactions of Hexacarbonyl- μ - $\eta^{5:5}$ -fulvalene-dimolybdenum with Allene (In German)	C. G. KREITER, W. CONRAD	1707
1,2,3,4,5-Penta(4-alkylphen-1-yl)-1,3-cyclopentadienes and their Sodium-, Indium(I)- and Thallium(I) Complexes (In German)	H. SCHUMANN, A. LENTZ	1717
Zinc Complexes of Sulfonamides (In German)	U. HARTMANN, H. VAHRENKAMP	1725
The Pd-Catalyzed Oxidative Coupling Reaction of Methyl Methylbenzoates (In German)	A. SHIOTANI	1731
Oxidation of Disilenes: Experimental and Theoretical Studies	K. L. MCKILLOP, R. WEST, T. CLARK, H. HOFMANN	1737
Silaheterocycles, XXXI. Allyl Cleavage of 2-Silanorbornenes: A Facile Synthesis of Cyclopentenyl-Compounds of Organochlorosilanes and of 2-Silanorbornanes (In German)	N. AUNER, H.-U. STEINBERGER	1743
Contributions to the Chemistry of Phosphorus, 232. Partially Organyl Substituted Polycyclophosphphanes (In German)	M. BAUDLER, H. JACHOW	1755
Chemistry of Polyfunctional Molecules, 114. Synthesis and Structure of an Ionic and Non Ionic Cyclic Carbaphosphazene and of a Cobalt(III)-phosphazene Complex (In German)	J. ELLERMANN, J. SUTTER, F. A. KNOCH, M. MOLL, W. BAUER	1763
Phosphazene Catalysis. The Basis of Linear Technology for Silicone Production (In German)		
M. HERBERHOLD, V. TRÖBS, W. MILIUS, B. WRACKMEYER		1781
Lanthanoid Complexes, IX. Reactivity Control of Lanthanoid Amides through Ligand Effects: Synthesis and Structures of Sterically Congested Alkoxy Complexes (In German)	W. A. HERRMANN, R. ANWANDER, F. C. MUNCK, W. SCHERER, V. DUFAUD, N. W. HUBER, G. R. J. ARTUS	1789
Silyl and Phosphino Substituted Methanes: Synthetic and Structural Investigations of the Reactivity of Ambidentate Phosphinomethanides (In German)	H. H. KARSCH, R. RICHTER, B. DEUBELLY, A. SCHIER, M. PAUL, M. HECKEL, K. ANGERMEIER, W. HILLER	1798
The Crystal Structure of Tetraphenylphosphonium Monoiodohexahydro- <i>clos</i> -hexaborate [P(C ₆ H ₅) ₄][B ₆ H ₆ I] (In German)	W. PREETZ, D. SONNAK	1809
Electrophilic Activation of OH Groups in Organophosphorus Compounds – An Application of Phosphane Boranes (In German)	TH. SEITZ, G. HUTTNER, M. BÜCHNER	1813
Radical-Initiated Hydrosilylation-Cyclization Reactions of Bis(vinyldimethylsilyl) Compounds, CH ₂ =CH(CH ₃) ₂ SiXSi(CH ₃) ₂ CH=CH ₂ (X = O, CH ₂ , NH, NCH ₃ , NSi(CH ₃) ₃)	D. SEYFERTH, H. FRIEDRICH, S. W. KRaska	1818
Subject Index		1827
Authors Index		1859