

Spiranoid Withanolides from *Jaborosa odonelliana* and *Jaborosa runcinata*

Adriana M. Cirigliano and Rosana I. Misico

Departamento de Química Orgánica, Facultad de Ciencias Exactas y Naturales, Universidad de Buenos Aires, Pabellón 2, Ciudad Universitaria (C1428EGA) Buenos Aires, Argentina

Reprint requests to Dr. Adriana M. Cirigliano. Tel/Fax: (54-11) 4576-3346.
E-mail: adrianac@qo.fcen.uba.ar

Z. Naturforsch. **60b**, 867 – 869 (2005); received December 28, 2004

Two new spirocyclic withanolides, (20R,22R,23R)-12 β ,17 β ,22-trihydroxy-1-oxo-12,23-cycloergosta-2,24-dien-26,23-oxide (**3**) and (23R)-5 α ,6 β ,12 β ,21-tetrahydroxy-1,22-dioxo-12,23-cycloergosta-2,17,24-trien-26,23-oxide (**4**) were isolated from plants of *Jaborosa odonelliana* and *Jaborosa runcinata*, respectively. Compounds **3** and **4** were characterized by a combination of spectroscopic methods (1D and 2D NMR, MS) and molecular modelling.

Key words: *Jaborosa*, Withanolides, Jaborosalactone