Isoflavonoids from Seeds of *Millettia griffoniana* (Bail), 15*

Dieudonne Ngamga^a, Emanuel Yankep^b, Pierre Tane^a, Merhatibeb Bezabih^c, Bonaventure T. Ngadjui^b, Zacharia T. Fomum^b, and Berhanu M. Abegaz^c

- ^a Department of Chemistry, Faculty of Science, University of Dschang, P.O. Box 67, Dschang, Cameroon
- ^b Department of Organic Chemistry, Faculty of Science, University of Yaounde I, P.O. Box 812, Yaounde, Cameroon
- ^c Department of Chemistry, Faculty of Science, University of Botswana, Private Bag UB00704, Gaborone, Botswana

Reprint requests to Prof. B. M. Abegaz. Fax: +267 355 2836. E-mail: abegazb@mopipi.ub.bw

Z. Naturforsch. 60b, 973 – 977 (2005); received February 25, 2005

Dedicated to Professor Ermias Dagne on the occasion of his 60th birthday

Three new isoflavonoids, griffonianone F, G and H were isolated from the seeds of *Millettia griffoniana*, along with the known prebarbigerone, pseudobaptigenin, pseudobaptigenin methyl ether, tephrosin, dipterixine, odorantine, 7,4',5'-tetramethoxyisoflavone and isojamaicin. Their structures were assigned on the basis of spectroscopic data and chemical transformations.

Key words: Millettia griffoniana, Leguminosae, Papilionoideae, Isoflavones